KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

Rise & Shine - Tangie

Sample ID: SA-230516-21682 Batch: 05/09/2023

Type: Finished Product - Inhalable Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 05/22/2023 Completed: 05/31/2023 Client

The Hemp Hut 508 424 River Rd Uxbridge, MA 01569 USA





Summary

Test Cannabinoids **Date Tested** 05/31/2023

Not Tested

Status Tested

1 of 1

ND Total ∆9-THC

60.8 % (6aR,9R,10aR)-HHC

93.1% **Total Cannabinoids** **Not Tested**

Moisture Content Foreign Matter Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	ND	ND
CBN	0.0056	0.0169	ND	ND
CBT	0.018	0.054	ND	ND
Δ8-ΤΗС	0.0104	0.0312	ND	ND
Δ8-ΤΗСΡ	0.0067	0.02	0.169	1.69
Δ9-ΤΗС	0.0076	0.0227	ND	ND
Δ9-ΤΗСΡ	0.0067	0.02	3.90	39.0
Δ9-THCV	0.0069	0.0206	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	60.8	608
(6aR,9S,10aR)-HHC	0.0067	0.02	28.2	282
Total Δ9-THC			ND	ND
Total			93.1	931

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO

Date: 05/31/2023

Tested By: Nicholas Howard Scientist Date: 05/31/2023







This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.