232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

Lemon Jack Badder

Sample ID: SA-230624-23328

Batch: 06/23/2023

Type: Finished Product - Inhalable

Matrix: Concentrate - Badder

Unit Mass (g):

Received: 06/29/2023 Completed: 07/08/2023 Client

The Hemp Hut 508 424 River Rd Uxbridge, MA 01569

USA



Summary

Test Cannabinoids **Date Tested** 07/08/2023

Not Tested

Status Tested

ND Total Δ9-THC 73.9 % CBG

93.5 % **Total Cannabinoids** **Not Tested**

Moisture Content Foreign Matter Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

| Analyte | LOD (%) | LOQ (%) | Result (%) | Result (mg/g) |
|----------------------|------------|------------|---------------|------------------|
| CBC | 0.0095 | 0.0284 | ND ND | ND |
| CBCA | 0.0181 | 0.0543 | ND | ND |
| CBCV | 0.006 | 0.018 | ND | ND |
| CBD | 0.0081 | 0.0242 | 0.221 | 2.21 |
| CBDA | 0.0043 | 0.013 | ND | ND |
| CBDP | 0.0067 | 0.02 | ND | ND |
| CBDV | 0.0061 | 0.0182 | ND | ND |
| CBDVA | 0.0021 | 0.0063 | ND | ND |
| CBG | 0.0057 | 0.0172 | 73.9 | 739 |
| CBGA | 0.0049 | 0.0147 | ND | ND |
| CBL | 0.0112 | 0.0335 | ND | ND |
| CBLA | 0.0124 | 0.0371 | ND | ND |
| CBN | 0.0056 | 0.0169 | ND | ND |
| CBNA | 0.006 | 0.0181 | ND | ND |
| CBT | 0.018 | 0.054 | ND | ND |
| Δ8-ΤΗС | 0.0104 | 0.0312 | ND | ND |
| Δ8-ΤΗСΡ | 0.0067 | 0.02 | 0.0765 | 0.765 |
| Δ9-ΤΗС | 0.0076 | 0.0227 | ND | ND |
| Δ9-ΤΗCΑ | 0.0084 | 0.0251 | ND | ND |
| Δ9-ΤΗСР | 0.0067 | 0.02 | 1.29 | 12.9 |
| Δ9-THCV | 0.0069 | 0.0206 | ND | ND |
| Δ9-THCVA | 0.0062 | 0.0186 | ND | ND |
| (6a R,9 R,10a R)-HHC | 0.0067 | 0.02 | 13.8 | 138 |
| (6aR,9S,10aR)-HHC | 0.0067 | 0.02 | 4.27 | 42.7 |
| Total Δ9-THC | | | ND | ND |
| Total | | | 93.5 | 935 |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THC + Δ 9-THC; Total CBD = CBDA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO

Date: 07/08/2023

Tested By: Scott Caudill Senior Scientist Date: 07/08/2023





ISO/IEC 17025:2017 Accredited Accreditation #108651



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.